



Container Mover

ML35CM

Meclift ML35CM

The ML35CM is an attachment for a terminal tractor designed to move containers at locations such as your terminal area. The ML35CM is powered by the hydraulics of the terminal tractor. The basic frame of the ML35CM is a telescopic beam the front end of which rests on the terminal tractor, while the rear rests on two wheels. The length of the main beam is automatically adjustable for different sizes of container, and the height of the machine can be raised and lowered for loading and unloading containers on trailers.

Front and rear twist-locks can be individually adjusted sideways for easier gripping of the container. The ML35CM is a very cost-effective solution for container handling at smaller terminals and ports where you don't have to stack containers. Also the low structure of the machine allows it to drive containers inside warehouses through relatively small door openings.



Manufacturer	Oy Meclift Ltd
Type	ML35CM
Standard colors	Orange (RAL2004) & Blue (RAL5002)

LIFTING PROPERTIES

Lifting capacity	kg	35,000
Lifting height	mm	1,400
Lifting speed	m/s	~0.1 (depending on terminal tractor)
Side movement of toplift units	mm	+/-200

DIMENSIONS

Length, min	mm	9,600
Length, max	mm	15,800
Width	mm	4,300
Height (min)	mm	3,750
Weight (without attachments)	kg	16,000

TECHNICAL SPECIFICATIONS

Tyres	
Manufacturer	Nokian Heavy Tyres
Model	HTS E-4 TL 2x18.00-25
Specialities	Adjustable for 20', 30', 40' and 45' ISO freight containers

Oy Meclift Ltd
Hepolamminkatu 51
FI-33720 Tampere, Finland
Tel +358 20 743 1120
Fax +358 20 743 1121
sales@meclift.fi
www.meclift.fi